

RSG Security Ferrari House 258 Field End Road Ruislip Middlesex HA4 9UU

Phone: 02081231058 | 02081231088 Email: sales@rsg-security.co.uk Web: www.rsgsecurity.co.uk

RSG8300 Access Control Steel Doors& Communal Doors For Entrances



Product Description

Product Code: RSG8300

Designed and manufactured to a high quality finish, our range of communal doors are the ideal solution for entrances where controlling access is top priority.

From communal entrances to commercial receptions to residential apartments, safeguarding private documents in the office sector and securing pharmaceutical products at your local hospital, RSG8300 access control doors are available in both manual operation with locking such as Code & Borg locks; as well as electric & magnetic locks.

In addition, our high quality security doors are made to measure and available in single leaves, leaf and a half & double leaves combination, along with quality hardware such as DDA pull handles, glazed vision panels, door closers and additional deadlocks for night-time security.

- Combining Security, Quality & Access Control Solution Get A Quote Today!
- Certified to international standards CE Marked, ISO 9001:2008, CERIBOIS Thermal
 Rating to 1.8Wm2K (mineral wool core as standard instead of honeycomb core).
- A perfect replacement to timber doors & Chinese imported doors.
- Great security features as standard See Our Door & Frame Specification.
- Galvanised as standard, with a wide range of powder coating colours available on request.
- Higher level of security doorsets available Secured by Design & PAS24 Ratings

Locking & Hardware

Mechanical & Electronic Codelocks

Our range of mechanical & electronic codelocks offer access control implementation brillantly without the worry of separate wall mounted access devices. All comes built-in within your doorset and this brings a quick integration, cost-effective and easy to operate solution. Get A Quick Quote Now!



• Electric Strike & Magnetic Locks



Electric strike allows mechanical egress and give the possibility to have both key and access control externally, whereas maglocks provide a strong holding force and need to be operated solely off an access control system both sides (sometimes push to exit buttons inside). Please speak to us for more details.

Access Control on Fire Escape

9 out of 10 times, steel doors installed on fire exits are solely for escape. However in some instances where external access is needed, there is a simultaneous requirement for access control. A primary example would be the rear door of a goods in good out warehouse - Please send us an enquiry.



Extra Deadlocks, PAS24 & Secured by Design



Access control doors are to administrate restriction & control, which sometimes leave a degree of vulnerability. Dependant on client's requirement, deadlocks can be implemented for out-of-hours security. In addition, call us to find out more on our security range of PAS24 & Secured by Design Doors.

Glazing & Vision Panels

From single to double glazing, our vision panels are available in 6.4mm laminated glass, 6mm toughened glass, 6.4mm Lexan polycarbonate and 6mm georgian wired, all available in these sizes: 152x762, 203x762, 203x203, 305x305, 355x355, 610x610, 457x457, 508x508, 203x1067, 254x1219, 254x1524. For non-standard sizes, please contact Our Sales Office.



A Complete Range of Features & Hardware



For enhanced security & functionality, our range of access control doorsets are available with extra features such as increase skin thickness up to 2mm, timber core infill, steel & glazed side/top panels, full length of piano hinges, along a full range of hardware - our common few are door closers, DDA pull handles, push & kick plates, flush bolts, rain deflectors, finger protection strips.

Door & Frame Specification

Steel Door Sizes

Single Doors: Up To 1580mm Wide x Up To 3050mm High Leaf & Half Doors: Up To 1830mm Wide x Up To 3050mm High Double Doors: Up To 2830mm Wide x Up To 3050mm High

Steel Door Frame

Manufactured from 1.5mm Thick Steel All Steel are Galvanised (Zintec on some range) Bolted Corners as Standard - Stronger & Heavier Duty 90mm Single Rebate Profile

Steel Door Leaf

Manufactured from 1.5mm Thick Steel Folded 45mm Thick Leaf with High Insulation Mineral Wool as Standard (CERIBOIS Thermally Rated to 1.8Wm2K) Integral Anti Jemmy Strip/Astragal

Hinges & Dog Bolts

Minimum of 4 no BS. EN 1935:2002 Grade 13 Stainless Steel Hinges C/W Dog Bolts**Threshold**

2mm Thick Stainless Steel Threshold (other thresholds available on some range)



Weight

Approx. 35-40Kg per m2 depending on hardware

Secured by Design & PAS24 Doorsets

Please note the specification (steel thickness, piano hinges, threshold) on our higher security doors vary. For more info, please contact our office.

Powder Coating

As standard, our security doors are manufactured in a powder coated colour finish, free of charge.

The below lists our standard colour/finish available, please note colours are just a guide and may not be exact reproduction due to different screens resolution.

Should you require a specific colour, please provide us the 'RAL or BS Number'. If we have this colour in stock, we shall include at no extra cost however if not available, an extra charge will apply and we shall advise accordingly. Please click to Make An Enquiry Now!





RSG Security Ferrari House 258 Field End Road Ruislip Middlesex HA4 9UU

Phone: 02081231058 | 02081231088 Email: sales@rsg-security.co.uk Web: www.rsgsecurity.co.uk

Important

Please note we are continuously improving our product range and product specification may change, hence it is advisable to contact our Sales Team on 02081231088 or email us at sales@rsg-security.co.uk

For more information on our full product range, please visit https://www.rsgsecurity.co.uk/product-range.php

For further information about our range of RSG5600 Fire Shutters, please call The RSG Security Team on 02081231088 or email us at sales@rsg-security.co.uk